## Humansa Health. Reimagined

# Herpes Zoster (Shingles) Vaccine


# ╞狀疱疹 生蛇)疫苗



The varicella-zoster virus causes both chickenpox and shingles. After chickenpox recovery, the virus can stay inactive in the body and reactivate as shingles if the immune system weakens. According to the Hong Kong Centre for Health Protection, 91% of adults 39+ have the varicella-zoster virus, with shingles risk increasing after age 50. However, more younger people are now getting shingles.

帶狀疱疹俗稱生蛇,由水痘帶狀疱疹病毒引致。水痘帶狀疱疹病毒可以引發水痘,即使水 痘康復後,病毒仍然會一直潛伏在身體,在免疫力下降時就有機會發作,造成生蛇。根據 香港衛生防護中心資料,91%的香港成年人(39歲或以上)帶有帶狀疱疹病毒,50歲以上 的人群中更為常見,且年輕人罹患帶狀疱疹的趨勢逐漸增加。

Shingrix is an FDA-approved vaccine designed to prevent shingles Recommended for age over 50 & individuals over 18 with a weakened immune system\* 臨床研究顯示,已經獲得美國食品藥品監督管理局 (FDA) 認證的新一代疫苗Shingrix 適合50歲以上及18歲以上高危人士\*



Shingrix Vaccine 帶狀疱疹疫苗 (蛇針)

## 2 Doses 2針套餐 HK\$4,980

Includes the fee of 1 consultation and vaccine 已包含一次醫生諮詢費及疫苗費

\*Terms and Conditions Apply. 禮遇受有關條款及細則約束。

Humansa reserves the right to amend the Terms & Conditions without prior notice. In the event of disputes, Humansa reserves the right of final decision. Humansa保留修改本條款及細則而不需要作另行通知的權利。如有任何爭議,Humansa保留最終決定權。

### Which individuals are recommended to receive the vaccine for herpes zoster (shingles)? 誰需要接種帶狀疱疹(生蛇)疫苗?



Age over 50; risk increases with age 年過50歲; 風險隨年齡增加



Individuals over 18 with a weakened immune system(due to diseases like HIV/AIDS, cancer, or congenital HIV/AIDS) 18歲以上免疫力低下人士 (如患有 HIV/AIDS或癌症或先天性免疫力低下人士)



People recovered from chickenpox 曾經患過水痘人士



Family history of Shingles<sup>1</sup> 家族曾經「生蛇」人士<sup>1</sup>



People recovered from COVID<sup>2</sup> 新冠康復者<sup>2</sup>



You are suggested to consult the doctor prior to receiving the new generation shingles vaccination as some groups may NOT be suitable, such as : 請於接種前先諮詢醫生意見,以下人士或不適宜接種新一代帶 狀疱疹 (生蛇)疫苗:

- Those who are currently pregnant; 孕婦;
- Those who are currently having shingles;
  目前患有帶狀疱疹之人士;
- ◆ People who are suffering from a moderate or severe acute illness, with or without fever, should wait until recovery before getting the vaccine 目前患有中度或重度急性疾病, 無論有否發燒, 都應待康復後再接種疫苗

### Humansa | Victoria Dockside Humansa 旗艦店 | 維港文化匯

Unit 1801, L18, K11 ATELIER Victoria Dockside, 18 Salisbury Road, Tsim Sha Tsui, Kowloon, Hong Kong 香港九龍尖沙咀梳士巴利道18號維港文化匯K11 ATELIER 18樓1801室





Humansa 仁山优社 P

humansahealth com



<mark>小虹形</mark> Humansa 仁山优社

#### For Enquiry 查詢詳情





WhatsApp

WeChat 微信客服